മിസ്റ്റർ പി. കുമാരനെഴത്തച്ഛൻ: ആ കൊല്ലത്തിൽ യാതൊരു ജലനികുതിയും പിരിച്ചിട്ടില്ലേ?

മിസ്റ്റർ സി. ആർ. ഇയ്യുണ്ണി: ഇല്ല.

മിസ്റ്റർ സി. എൻ. ഇട്ടിരവി നമ്പൂതിരി: ആരിൽനിന്നാണു് പിരിച്ചിട്ടില്ലാത്തതെന്നു് പറയാമോ?

റാവു സാഹിബ്ബു് എ. മാധവപ്രഭു: പിരിച്ചിട്ടുണ്ടായിരുന്നു. പിന്നീടു് അതു് തിരിച്ചു കൊടുത്തു. അപ്പോൾ അതു പിരിക്കാത്ത ഫലം തന്നെയല്ലെ.

മിസ്റ്റർ പി. കുമാരനെഴത്തച്ഛൻ: അതു തിരിച്ചു കൊടുത്തുവൊ?

റാവു സാഹിബ്ബു് എ. മാധവപ്രഭു: കൊടുക്കുമല്ലൊ?

THE OFFICE OF THE WATER WORKS ASSISTANT ENGINEER—TRANSFER TO CHOWWARA

311. **Mr. P. Mani** (*Kanayannur*): Will Government be pleased to state —

(*a*) whether the Office of the Water Works Assistant Engineer was transferred to Chowwara from Ernakulam;

(*b*) if so, why was it and when was it;

(*c*) who was in charge of the Head works at Chowwara before the transfer;

(*d*) what was done with that officer after the transfer;

(*e*) how many officers in this office had to leave Ernakulam and go to Chowwara due to this transfer; and

(*f*) what is the jurisdiction of the Water Works Assistant Engineer?

Rao Sahib K. Ayyappan (*Minister for Public Works*):

(*a*) Yes.

(*b*) The office was transferred to Chowwara on 7th Kanni 1122 to be in a more central place than in Ernakulam and to be near the important water works of the State *viz.*, Chowwara and Alwaye.

(*c*) The Superintendent, Chowwara Head works.

(*d*) The Superintendent, Chowwara Head works has to continue.

(*e*) Only one since many of those employed in that office were retained in the other offices at Ernakulam.

(*f*) The whole State.

മിസ്റ്റർ പി. മാണി: ഈ ചൊവ്വര കൊച്ചിൻ സ്റ്റേറ്റിന്റെ സെൻട്രൽ ആണെന്നാണൊ പറയുന്നതു്? ഈ അസിസ്റ്റാണ്ടു് എഞ്ചിനീയരുടെ സ്റ്റാഫിൽ രണ്ടുപേരല്ലെ ഉള്ളു?

റാവു സാഹിബ്ബു് കെ. അയ്യപ്പൻ: അവിടെയുള്ളവരെക്കൊണ്ടു് ജോലി നടത്തിട്ടുണ്ടാകും.

മിസ്റ്റർ പി. മാണി: ഈ സൂപ്രണ്ടും സ്റ്റാഫിൽ ഉള്ളതാണല്ലൊ?

റാവു സാഹിബ്ബു് കെ. അയ്യപ്പൻ: അതെ.

മിസ്റ്റർ പി. മാണി: ഈ സൂപ്രണ്ടു് നടത്തിയിരുന്ന ജോലിയല്ലെ അസിസ്റ്റാണ്ടു് എഞ്ചിനീയർ അവിടെ നടത്തുന്ന ജോലി?

റാവു സാഹിബ്ബു് കെ. അയ്യപ്പൻ: അല്ല. അസിസ്റ്റാണ്ടു എഞ്ചിനീയർ സ്റ്റേറ്റു് ഒട്ടുക്കുള്ള ആളാണു്.

മിസ്റ്റർ പി. ടി. ജേക്കബ്ബു്: വീടുകളിലേക്കു് pipe connection ആവശ്യപ്പെട്ടാൽ അതു പാസ്സാക്കേണ്ടതു് അസിസ്റ്റാണ്ടു എഞ്ചിനീയരല്ലെ?

റാവു സാഹിബ്ബു് കെ. അയ്യപ്പൻ: ആയിരിക്കാം.

മിസ്റ്റർ പി. ടി. ജേക്കബ്ബു്: അങ്ങനെയാണെന്നാണു് എന്റെ അറിവു്. അപ്പോൾ അങ്ങേഹത്തിന്റെ ആഫീസ്സു് ഇവിടെനിന്നും മാറുന്നതുകൊണ്ടു വെള്ളം ആവശ്യമുള്ളവർക്കു് അതനുവദിച്ചു കിട്ടാൻ വിഷമമുണ്ടാകുന്നില്ലെ?

LIBRARY ARCHIVES Kerala Legislative Assembly

റാവു സാഹിബ്ബ് കെ. അയ്യപ്പൻ: അങ്ങിനെ വിഷമമുണ്ടെങ്കിൽ അതിനെക്കുറിച്ചാലോചിക്കാം.

മിസ്റ്റർ പി. മാണി: അസിസ്റ്റാണ്ട് എഞ്ചിനീയർ ആഫീസ്സ് എറണാകുളത്തായിരിക്കുന്നതല്ലെ കൂടുതൽ സൌകര്യം?

റാവു സാഹിബ്ബ് കെ. അയ്യപ്പൻ: ബഹുമാനപ്പെട്ട മെമ്പർ പറഞ്ഞതുപോലെയുള്ള അസൌകര്യങ്ങളും ജനങ്ങൾക്കുണ്ടെങ്കിൽ അതിനെക്കുറിച്ചാലോചിച്ചു വേണ്ടതു ചെയ്യാം.

PASSENGER SHUTTLE TRAINS BETWEEN SHORANUR AND HARBUR TERMINUS—INCREASING THE NUMBER

312. Mr. M. K. Raja *(Mulakunnathukavu):* Will Government be pleased to inform the House.—

whether there is any prospect of the introduction of one more passenger shuttle train both way between Shoranur and Harbour Terminus?

Rao Sahib A. Madhava Prabhu *(Chief Secretary to Government):*

There is no proposal now to introduce one more passenger shuttle train both way between Shoranur and Harbour Terminus.

PRICES OF JAGGERY AND COCOANUT OIL

313. Mr. A. Eachara Menon *(Chittur-Tattamangalam):* Will Government be pleased to state.—

(*a*) the prices at which jaggery is purchased by the State from Chittur and from Travancore;

(*b*) at what price do they sell at Chittur;

(*c*) what was the sale price of cocoanut oil at Trichur and Ernakulam on 13th Dhanu 1122;

(*d*) what was the price of cocoanut oil on that day at Chittur?

Mr. P. Govinda Menon *(Minister for Food and Education):*

(*a*) *From Chittur.*—
Rs. 21—6—0 per cwt. net for 1st quality.
Rs. 20—0—0 per cwt. net for 2nd quality.
Rs. 18—10—0 per cwt. net for 3rd quality.

From Travancore.—
Rs. 35—4—4 to Rs. 40—10—6 per cwt. net delivery at Mattancheri Central Depot

(*b*) Rs. 28—0—0 per cwt. wholesale.
Re. 0—4—3 per lb. retail.

(*c*) Rs. 1,390 per ton wholesale.
Rs. 1—8—0 per Edangali or
Rs. 22—8—0 per Md. retail.

(*d*) Rs. 1—14—0 per Edangali.

MATERNITY HOSPITAL, TRICHUR

314. Mr. M. O. Thomakutty *(Commerce and Industry):* Will Government be pleased to state.—

(*a*) the number of beds in the Maternity Hospital, Trichur;
(*b*) the number of delivery cases in the Maternity Hospital a month;
(*c*) the number of children that are provided with cradles;
(*d*) the actual number of cradles supplied to the hospital;
(*e*) are the Government aware of the difficulties experienced for want of sufficient number of cradles?

Rao Bahadur T. K. Nayar *(Minister for Public Health):*

(*a*) 88.
(*b*) 60·08 (average during the year 1121.)
(*c*) 14.
(*d*) 14.
(*e*) Yes.

LIBRARY ARCHIVES Kerala Legislative Assembly